

**Form - IV (See rule 13)**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars				
1	Particulars of the Occupier	:			
	(i) Name of the authorized person (occupier or : operator of facility)	:	Superintendent		
	(ii) Name of HCF or CBMWTF	:	District Hospital Nilambur		
	(iii) Address for Correspondence	:	Hsopital Road, Nilambur, Malappuram DT, Pin -679329		
	(iv) Address of Facility	:	Hsopital Road, Nilambur, Malappuram DT, Pin -679329		
	(v) Tel. No, Fax. No	:	04931-220351		
	(vi) E-mail ID	:	dhnilambur2014@gmail.com		
	(vii) URL of Website	:	<a href="http://www.districthospitalnilambur.org">www.districthospitalnilambur.org</a>		
	(viii) GPS coordinates of HCF or CBMWTF	:	Lattitude:11.2762287 Longitude: 2218462		
	(ix) Ownership of HCF or CBMWTF	:	State Government		
	(x). Status of Authorization under the Bio- Medical	:	Authorisation No.: KEIL/CBWTF/00125/1092		
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto:		
2	Type of Health Care Facility	:	District Hospital		
	(i) Bedded Hospital	:	No. of Beds: 142		
	(ii) Non-bedded hospital	:			
	(iii) License number and its date of expiry	:			
3	Details of CBMWTF	:	KERALA ENVIRO INFRASTRUCTURE LTD , CBWTF, INSIDE FACT-CD		
	(i) Number of health care facilities covered by CBMWTF	:	1054		
	(ii) No. of Beds covered by CBMWTF	:	20161		
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	16000 Kg / day		
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	7500 Kg / day		
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 11804.4		
		:	Red Category: 12996.4		
		:	White: 457.48		
		:	Blue Category: 2516.99		
		:	General Solid Waste:		
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility				
	(i) Details of the on-site storage facility :	:	Size:		
	Facility	:	Capacity:		
		:	Provision of on-site storage : (Cold storage or		
	(ii) Disposal facilities		<b>Type of treatment equipment</b>	<b>No of Units</b>	<b>Quantity Treated or</b>
			Incinerators	Nil	
			Plasma Pyrolysis	Nil	
			Autoclaves	Nil	
			Microwave	Nil	
			Hydroclave	Nil	
			Shredder	Nil	
			Needle tip cutter or destroyer		
			Sharps		
			Encapsulation or concrete pit		
			Deep burial pits		
			Chemical disinfection:		
		Any other treatment equipment:			

	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.)
	(iv) No. of Vehicles used for collection and transportation of biomedical waste	:	
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Incineration
			Ash
			ETP Sludge
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of		Where disposed
	(vii) List of member HCF not handed over bio-medical waste.		
	(vii) List of member HCF not handed over bio-medical waste.		
6	"Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period"		
7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management		
	(ii) Number of personnel trained		
	(iii) Number of personnel trained at the time of induction		
	(iv) Number of personnel not undergone any training so far		
	(v) Whether standard manual for training is available?		
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		
	(ii) Number of persons affected		
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details		
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year		
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from 1st January 2023 to 31st December 2023

Date: 22-08-2024  
Place: Nilambur



Name and Signature of the Head of the Institution  
**SUPERINTENDENT**  
 Govt. District Hospital  
 Nilambur - 679329  
 Malappuram Dist